

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|---|-------|------------------|
| - | 19 | ballard-clinton\$.in. | USPAT | 2004/03/09 12:07 |
| - | 0 | ballard-clinton\$.in. and encrypt\$3 | USPAT | 2004/03/09 12:06 |
| - | 5987 | key with manag\$5 | USPAT | 2004/03/09 12:07 |
| - | 1004 | ((key with manag\$5) with (encrypt\$3 or decrypt\$3)) | USPAT | 2004/03/09 12:08 |
| - | 126 | ((key with manag\$5) with (encrypt\$3 or decrypt\$3)) with server | USPAT | 2004/03/09 12:08 |
| - | 1 | ((key with manag\$5) with (encrypt\$3 or decrypt\$3)) with server) with (format or type) | USPAT | 2004/03/09 12:09 |
| - | 5 | ((key with manag\$5) with (encrypt\$3 or decrypt\$3)) with server) same (format or type) | USPAT | 2004/03/09 12:12 |
| - | 1 | ((key with manag\$5) with (encrypt\$3 or decrypt\$3)) with (format or type)) same server | USPAT | 2004/03/09 12:12 |
| - | 63 | ((key with manag\$5) with (encrypt\$3 or decrypt\$3)) with (format or type) | USPAT | 2004/03/10 11:26 |
| - | 2901 | key near3 manag\$5 | USPAT | 2004/03/09 13:47 |
| - | 778 | (key near3 manag\$5) with (encrypt\$3 or decrypt\$3) | USPAT | 2004/03/09 13:48 |
| - | 8 | ((key near3 manag\$5) with (encrypt\$3 or decrypt\$3)) with delet\$3 | USPAT | 2004/03/09 13:56 |
| - | 18 | ((key near3 manag\$5) with (encrypt\$3 or decrypt\$3)) with (format\$4 or reformat\$4 or conver\$4) | USPAT | 2004/03/09 14:09 |
| - | 2900 | (encrypt\$3 or decrypt\$3) with (format\$4 or reformat\$4 or conver\$4) | USPAT | 2004/03/09 14:09 |
| - | 14 | ((encrypt\$3 or decrypt\$3) with (format\$4 or reformat\$4 or conver\$4)) with delet\$3 | USPAT | 2004/03/09 14:27 |
| - | 12 | ((encrypt\$3 or decrypt\$3) with (format\$4 or reformat\$4 or conver\$4)) with (bit\$1map\$4 or bit adj map\$4) | USPAT | 2004/03/09 15:34 |
| - | 464 | reformat\$4 near5 message | USPAT | 2004/03/09 16:38 |
| - | 0 | ((reformat\$4 near5 message) with (decrypt\$3 or decipher\$3 or decod\$3)) same (key or cipher) | USPAT | 2004/03/09 15:35 |
| - | 33 | (reformat\$4 near5 message) with (decrypt\$3 or decipher\$3 or decod\$3) | USPAT | 2004/03/09 15:35 |
| - | 16122 | (reformat\$4 or format\$4 or conver\$4) near5 message | USPAT | 2004/03/10 12:11 |
| - | 896 | ((reformat\$4 or format\$4 or conver\$4) near5 message) with (decrypt\$3 or decipher\$3 or decod\$3) | USPAT | 2004/03/09 16:39 |
| - | 99 | ((reformat\$4 or format\$4 or conver\$4) near5 message) with (decrypt\$3 or decipher\$3 or decod\$3)) same (key or cipher) | USPAT | 2004/03/09 16:39 |
| - | 359 | 380/277.ccls. | USPAT | 2004/03/10 11:26 |
| - | 168 | 380/278.ccls. | USPAT | 2004/03/10 11:26 |
| - | 113 | 380/279.ccls. | USPAT | 2004/03/10 11:28 |
| - | 37 | 380/280.ccls. | USPAT | 2004/03/10 11:28 |
| - | 128 | 380/286.ccls. | USPAT | 2004/03/10 11:28 |
| - | 209 | 380/201.ccls. | USPAT | 2004/03/10 11:29 |
| - | 246 | 705/57.ccls. | USPAT | 2004/03/10 11:30 |
| - | 65 | message with image with delet\$3 | USPAT | 2004/03/10 11:56 |
| - | 675 | 380/277.ccls. or 380/278.ccls. or 380/279.ccls. or 380/280.ccls. or 380/286.ccls. | USPAT | 2004/03/10 11:56 |
| - | 391 | 380/201.ccls. or 705/57.ccls. | USPAT | 2004/03/10 11:56 |
| - | 10 | (reformat\$4 or format\$4 or conver\$4) near5 message and (380/201.ccls. or 705/57.ccls.) | USPAT | 2004/03/10 13:10 |
| - | 3 | (reformat\$4 or format\$4 or conver\$4) with message with image and (380/201.ccls. or 705/57.ccls.) | USPAT | 2004/03/10 14:11 |
| - | 22 | (reformat\$4 or format\$4 or conver\$4) with message and (380/201.ccls. or 705/57.ccls.) | USPAT | 2004/03/10 13:55 |
| - | 34 | (reformat\$4 or format\$4 or conver\$4 or image) with message and (380/201.ccls. or 705/57.ccls.) | USPAT | 2004/03/10 13:55 |
| - | 3 | (reformat\$4 or format\$4 or conver\$4) with image same message and (380/201.ccls. or 705/57.ccls.) | USPAT | 2004/03/10 14:12 |
| - | 62 | (reformat\$4 or format\$4 or conver\$4) with image and (380/201.ccls. or 705/57.ccls.) | USPAT | 2004/03/10 16:16 |
| - | 3749 | delet\$3 with key | USPAT | 2004/03/10 16:16 |
| - | 95 | (delet\$3 with key) and (380/277.ccls. or 380/278.ccls. or 380/279.ccls. or 380/280.ccls. or 380/286.ccls.) | USPAT | 2004/03/10 16:19 |
| - | 63 | (delet\$3 with key) with decrypt\$3 | USPAT | 2004/03/10 16:35 |
| - | 20 | ((delet\$3 with key) with decrypt\$3) and (380/277.ccls. or 380/278.ccls. or 380/279.ccls. or 380/280.ccls. or 380/286.ccls.) | USPAT | 2004/03/10 16:19 |
| - | 99 | (delet\$3 with key) with encrypt\$3 | USPAT | 2004/03/10 16:35 |

| | | | | |
|---|--------|--|-------|------------------|
| - | 26 | ((delet\$3 with key) with encrypt\$3) and (380/277.ccls. or 380/278.ccls. or 380/279.ccls. or 380/280.ccls. or 380/286.ccls.) | USPAT | 2004/03/10 16:35 |
| - | 5440 | key with distribut\$3 | USPAT | 2004/03/11 11:29 |
| - | 180 | (key with distribut\$3) with (permit\$4 or permission) | USPAT | 2004/03/11 11:29 |
| - | 839 | (key with distribut\$3) with (encrypt\$3 or decrypt\$3) | USPAT | 2004/03/11 11:29 |
| - | 43 | ((key with distribut\$3) with (encrypt\$3 or decrypt\$3)) with (permit\$4 or permission) | USPAT | 2004/03/11 11:33 |
| - | 74 | ((key with distribut\$3) with (encrypt\$3 or decrypt\$3)) with request\$3 | USPAT | 2004/03/11 11:33 |
| - | 11 | ((key with distribut\$3) with (encrypt\$3 or decrypt\$3)) with (permit\$4 or permission) and (((key with distribut\$3) with (encrypt\$3 or decrypt\$3)) with request\$3) | USPAT | 2004/03/11 11:37 |
| - | 2397 | key with (encrypt\$3 or decrypt\$3) with message | USPAT | 2004/03/11 11:37 |
| - | 298 | (key with (encrypt\$3 or decrypt\$3) with message) with request\$3 | USPAT | 2004/03/11 11:37 |
| - | 180 | ((key with (encrypt\$3 or decrypt\$3) with message) with request\$3) same (send\$3 or receiv\$3) | USPAT | 2004/03/11 11:37 |
| - | 121 | ((key with (encrypt\$3 or decrypt\$3) with message) with request\$3) with (send\$3 or receiv\$3) | USPAT | 2004/03/11 11:38 |
| - | 2 | ((key with (encrypt\$3 or decrypt\$3) with message) with request\$3) with (send\$3 or receiv\$3) with (permit\$4 or permission) | USPAT | 2004/03/11 11:40 |
| - | 10 | ((key with (encrypt\$3 or decrypt\$3) with message) with request\$3) with (send\$3 or receiv\$3) same (permit\$4 or permission) | USPAT | 2004/03/11 11:46 |
| - | 35 | decrypt\$3 with key with message with receiv\$3 with request\$3 | USPAT | 2004/03/11 14:54 |
| - | 155363 | (file or data) near5 (reformat\$4 or format\$4 or conver\$4) | USPAT | 2004/03/11 14:55 |
| - | 15879 | file near5 (reformat\$4 or format\$4 or conver\$4) | USPAT | 2004/03/11 14:55 |
| - | 124 | (file near5 (reformat\$4 or format\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3) | USPAT | 2004/03/11 14:56 |
| - | 24 | ((file near5 (reformat\$4 or format\$4 or conver\$4)) with (encrypt\$3 or decrypt\$3)) with key | USPAT | 2004/03/11 18:47 |
| - | 4257 | disabl\$3 near5 interrupt | USPAT | 2004/03/12 14:52 |
| - | 1573 | disabl\$3 adj interrupt | USPAT | 2004/03/12 14:47 |
| - | 7 | (disabl\$3 near5 interrupt) with (encrypt\$3 or decrypt\$3) | USPAT | 2004/03/12 14:49 |
| - | 11 | (disabl\$3 near5 interrupt) same (encrypt\$3 or decrypt\$3) | USPAT | 2004/03/12 14:50 |
| - | 13 | (disabl\$3 near5 interrupt) with (format\$4) | USPAT | 2004/03/12 14:51 |
| - | 2573 | disabl\$3 near interrupt | USPAT | 2004/03/12 14:52 |
| - | 2 | (disabl\$3 near interrupt) same (encrypt\$3 or decrypt\$3) | USPAT | 2004/03/12 14:53 |
| - | 11 | (disabl\$3 near interrupt) with (format\$4 or reformat\$4) | USPAT | 2004/03/12 14:53 |